

Sherwood

유니버설 리모콘



RNC-500
사용설명서



Sherwood®

목 차

A. 서문	3
B. 배터리	3
1.	3
2.	3
C. 리모콘 각 기능에 대한 설명	4
1.	4
2.	4
3.	5
4.	5
5.	6
6. Punch Through	6
7. LCD	6
8. RNC-500	6
9.	6
10.	7
11.	8
D. RNC-500 프로그램하기	8
1.	
1)	8
2)	10
2.	
1)	13
2)	14
E. 여러 편리한 기능 이용하기	14
1.	15
2.	16
1) M1 ~ M3, (POWER), OSD (System OFF)	
2) 10	
3. Punch Through	19



Sherwood®

목 차

F. 프로그램 지우기	20
1.	20
2.	21
3.	22
1) M1-M3, (POWER) OSD (System OFF)	
2)	
4. Punch Through	23
G. LCD 버튼 편집	24
1. /	24
2.	25
H. 셋업 코드 보기	27
I. 램프 설정	27
J. RNC-500 복제	28
K. LCD 콘트라스트 조절	29
L. LCD 화면에 대한 주의점	29
M. 배터리 교환	30
N. 메모리 보존	31
O. 보증	31
P. 규격 및 사양	31
■ 부록	
LCD	32
.....	37
AUDIO	37
SAT	40
TV	42
VCR	45
CABLE	48
DVD	50
CD	51
LD	54
TAPE	55
AUX	56



A. 서 문

Sherwood

RNC-500

가




B. 배터리

1. 배터리 설치

가 가
AAA
(+), (-)가

가 가
LCD



2. 배터리 수명

가 가 6
가 LCD



B. 배터리

가 , .
 가 .
 가 “ ”(31)
 가 .



C. 리모콘 각 기능에 대한 설명

1. 기기 설명

RNC-500 , , TV,
 DVD(LD), VCR1, VCR2, CD, 10

RNC-500

LCD 10

2 . LCD
 / 5

“ LCD ”(24)

2. 셋업 코드

RNC-500

가 . 가

“ RNC-500

”(8)



C. 리모콘 각 기능에 대한 설명

3. 코드 학습기능

RNC-500

LCD 가, 26
 LCD 가, 10
 LCD 가, 31
 LCD 10
 LCD 530
 LCD “
 LCD “(12)

4. 매크로 기능

가
 “ TV
 , TV
 ”
 “ TV, DVD
 ”
 가

M1, M2, M3, (POWER) OSD (System OFF)
 5 가 20
 A/V
 가
 10
 LCD 10
 2 가
 20



C. 리모콘 각 기능에 대한 설명

가

5. 즐겨찾기 채널 버튼

50

10

”(15)

6. Punch Through 기능

RNC-500

가

/VCR/DVD/LD/CD

“ Punch Through

”(19)

7. LCD 문자 편집

26 LCD

“ LCD ”(24)

8. RNC-500 복제

RNC-500

LCD

RNC-500

“ RNC-500 ”(28)

9. 다른 여러 기능들

가


LCD

27 ~ 29



C. 리모콘 각 기능에 대한 설명

10. 리모콘 각부 명칭



- 1** /LCD
- 2** OSD (System OFF)
- 3** LCD
- 4**
- 5** (LIGHT)
- 6** (MACRO)
- 7** MAN (MAIN)
- 8** LCD (PAGE)
- 9** (POWER)
- 10** (MUTE)
- 11** (VOLUME)
- 12** (CHANNEL)
- 13**
- 14** (PLAY, STOP, SKIP+, SKIP-, RECORD, PAUSE, VCR/CD/DVD REWIND, FF)
- 15** JOYSTICK (UP, DOWN, LEFT, RIGHT, ENTER)
- 16** / (ENTER)
- 17** (DISPLAY)





C. 리모콘 각 기능에 대한 설명

11. 시스템 셋업

MAIN

ENTER

3



LCD

10

MAIN



D. RNC-500 프로그램하기

RNC-500

1. 셋업 코드 이용하기

RNC-500

1) 수동 탐색 방법

1.

팁

(Power Off)


(Power On)



D.RNC-500 프로그램하기

6. 37 ~ 56 . (20 가 1 .) 가 . (가 , .) .

7. LCD **SAVE** 가 .



8. **MAIN** , **MAIN** .

9. , **1)** - 1. .

2) 자동 탐색 방법



1. **팁** (Power Off) (Power On)



D.RNC-500 프로그램하기

2. **MAIN** **ENTER** 3

3. **LCD** **P-PRO**




4.) **TV** , **TV**

5.) **TV** , **TV**

6. LCD **UP** **DOWN**

. (가 LCD .)
 가 , 가



7. 가 **UP** **DOWN**



D.RNC-500 프로그램하기

8. 가 LCD SAVE
9. MAIN
10. 가 2) - 1.

2. 다른 리모콘 학습하기

LCD 20 31 RNC-500 RNC-500

PAGE , MAIN , FAV M1 ~ M3 , 530

기억하세요

한 번 시도해서 리모콘이 기능을 학습하지 못할 경우:

- RNC-500
- 가
- 가
- 가



D.RNC-500 프로그램하기

1) 기능 버튼에 프로그램하기

1. **MAIN** **ENTER** 3




2. **LEARN**

3.

4.

RNC-500

RNC-500 5cm



5. **RNC-500**

, LCD

RNC-500

“GOOD”

“FAIL”

4.

.(20

.)

- 6.

가

MAIN




D. RNC-500 프로그램하기

2) 기기 선택버튼에 프로그램하기

1. **MAIN** **ENTER** 3

2. **LEARN**

3. **PAGE**



4. **RNC-500** 10

5cm

5. **RNC-500**

RNC-500

LCD

“GOOD”

가

“FAIL”

4.

(20

.)

6.

MAIN



E. 여러 편리한 기능 이용하기


, Punch Through




E. 여러 편리한 기능 이용하기

1. 즐겨찾기 채널 프로그램하기

- 50 가
- 10 가
1. **MAIN** **ENTER** 3
2. LCD **FAV**
3. 가



4. LCD **FAV** **PAGE**
- 5 LCD
- (Display) **ENTER**
- 10





E. 여러 편리한 기능 이용하기

5.

4.

6.

MAIN

2. 매크로 버튼 프로그램하기

RNC-500

가

M1, M2, M3 (POWER), OSD (System Off) :

20

가

10가

:


2

20

1) M1~M3, 전원(POWER), OSD시스템 꺼짐(OSD System Off) 버튼에 매크로기능 프로그램하기

1. **MAIN** **ENTER** 3

2. **MACRO**



3. M1~M3, (POWER), OSD (System OFF)

5가



E. 여러 편리한 기능 이용하기

4. 3. .(20 .)
- LCD STEP 가 .
-) CD (PLAY) , TV TV

AUDIO	CD	PLAY	MAIN	TV	PAGE
P-ON	VOL(-)	MAIN			

5. 가(CH+)
6. 3.
7. , MAIN
8. , LCD 가
()가

2) 10개의 기기 선택버튼에 매크로 기능 프로그램하기

1. MAIN ENTER 3
2. MACRO





E. 여러 편리한 기능 사용하기

3. 10

) AUDIO

4.

3.

20

LCD

STEP

가

)

CD

(PLAY)

, TV

2

:

AUDIO	CD	PLAY	MAIN	TV	PAGE
P-ON	VOL(-)	VOL(-)	MAIN		

5.

가(CH +)

3.

6.

3.

MAIN

7.

2

, LCD

가

()가

참

(||)

0.2

(||)

가

0.4

가

가



E. 여러 편리한 기능 이용하기

3) Punch Through 기능 프로그램하기

Punch Through

가

. ((SAT)

가

가/ /

.)

8가

(VCR

DVD

,

(Play),

(Stop),

(Fast Forward),

(Rewind),

(Skip-),

(Skip+),

(Pause),

(Record))

Punch Through

(가/)

1. 3

MAIN

ENTER

2. **PUNCH**



3. Punch Through

VOL

Punch Through

PLAY

Punch Through

CH

4. Punch Through

)

5. Punch Through

) 가



E. 여러 편리한 기능 이용하기

6. 5. 가 가 , **Punch Through** 가 .

7. **Punch Through** 3. .

8. , **MAIN** .




F. 프로그램 지우기

1. 학습된 버튼 지우기

1. 3 **MAIN** **ENTER** .

2. **ERASE** .



3. **LEARN** .

4. **RNC-500** , **ALL** **SURE?** , **DEVICE** .

팁

, **PAGE** .(TV, VCR,)



F. 프로그램 지우기

5. TV, VCR,
6. ALL
7. SURE?
8. KEY
9. (ERASE), MAIN

2. 즐겨찾기 채널 버튼 지우기

1. 3 MAIN ENTER
2. ERASE
3. FAV



4. RNC-500, ALL
5. SURE?
6. KEY



F. 프로그램 지우기

5. 가
4. **KEY**



6. (ERASE) , **MAIN**

3. 매크로 기능 지우기

1) M1~M3, 전원(Power), OSD 시스템 꺼짐(System OFF) 버튼의 매크로 기능 지우기

1. 3 **MAIN** **ENTER**
2. **ERASE**
3. **MACRO**
4. RNC-500 , **ALL**
SURE?
 , **KEY**
5. M1 ~ M3, (POWER),
OSD (System OFF)
6. (ERASE) **MAIN**



F. 프로그램 지우기

2) 기기 선택버튼의 매크로 기능 지우기

1. 3 **MAIN** **ENTER**

2. **ERASE**
MACRO



3. **KEY**


4. 10

5. **MAIN**

4. Punch Through 기능 지우기

1. 3 **MAIN** **ENTER**

2. **PUNCH**



S F. 프로그램 지우기

3. **Punch Through** **VOL** , **Punch Through** **PLAY** , **Punch Through** **CH** .
4. **Punch Through** .
5. 4. , **Punch Through** .
6. **Punch Through** 3. .
7. **MAIN** **Punch Through** , .

S G. LCD 버튼 편집

1. 기능 및 기기 선택버튼에 문자 넣기/편집하기

1. 3 **MAIN** **ENTER** .
2. **EDIT** .



3. **LCD** .



G.LCD 버튼 편집

팁

10 , **PAGE**

4. **LCD** . **PAGE**

5. 가 ,

가

- | | | | |
|-------------------------|---------------------------|----------|----------|
| 1. ABC 1 | 2. DEF 2 | 3. GHI 3 | 4. JKL 4 |
| 5. MNO 5 | 6. PQR 6 | 7. STU 7 | 8. VWX 8 |
| 9. YZ 9 공란 | 0. 0 ! ▶ ◀ ▲ ▼ ■ ▶▶ ◀◀ | | |
| # & () + - . / _ " ' ` | | | |

팁

가 . 가 () ,

6. 4.

7. **MAIN**

2. 즐겨찾기 채널 버튼에 문자 넣기

1. 3 **MAIN** **ENTER**

2. **EDIT**

3. **FAV** , **FAV** **PAGE**



G.LCD 버튼 편집

4. 가 ,
.
가 .

- 1.

A	B	C	I
---	---	---	---

 2.

D	E	F	2
---	---	---	---

 3.

G	H	I	3
---	---	---	---

 4.

J	K	L	4
---	---	---	---
- 5.

M	N	O	5
---	---	---	---

 6.

P	Q	R	6
---	---	---	---

 7.

S	T	U	7
---	---	---	---

 8.

V	W	X	8
---	---	---	---
- 9.

Y	Z	9	공란
---	---	---	----

 0.

0	!	▶	◀	▲	▼	■		▶▶	◀◀
#	&	()	+	-	.	/	_	"

팁

가 . 가 () ,

5. 3.

6. **MAIN**



H. 셋업 코드 보기

1. 3

MAIN

ENTER



2. **RECAL**

3. **LCD**

10

3

가



I. 램프 설정

1. 3

MAIN

ENTER

2. **LCD**


LIGHT





J.RNC-500 복제

4. , **ALL**
- DEVICE**
5. **DEVICE** , LCD
6. 3. **RNC-500**



7. **START**
40 , 가
"GOOD" 가 LCD
8. **MAIN** ,



K.LCD 콘트라스트 조절

- MAIN** UP () LCD
가 , **MAIN** DOWN ()
LCD 가



LCD 화면에 대한 주의점

LCD

RNC-500

- LCD
- LCD 가
- RNC-500
- RNC-500
- LCD



M.배터리 교환

가 (POWER)
MAIN , **ENTER** LCD “LOW
 BATTERY” 가

N.메모리 보존

RNC-500 가

O.보 증


RNC-500 1

P.규격 및 사양

- 12 ~ 18m
- 227 g ()
- 77 x 230 x 34 (mm)
- AAA, 4



LCD 문자목록



AUDIO




OSD/(SYSTEM) OFF	OSD
POWER	ON/OFF
VOL +	VOL UP
VOL -	VOL DOWN
CHANNEL LEVEL+	CH UP
CHANNEL LEVEL-	CH DOWN
MUTE	MUTE
CH SEL	CH SEL
CURSOR UP	UP
CURSOR DOWN	DOWN
CURSOR LEFT	LEFT
CURSOR RIGHT	RIGHT
ENTER/SELECT	ENTER
PLAY	
STOP/STEREO	STEREO
REVERSE SEARCH	
FORWARD SEARCH	
REVERSE SKIP/AUTO	AUTO/MANUAL
FORWARD SKIP/DSP	DSP MODE
REC/RETURN	RETURN
PAUSE/7.1SURR.	7.1SURR.
1	1
2	2
3	3
4	4
5	5
6	6
7	7
8	8
9	9
0	0
DISPLAY	SYSTEM DISPLAY
ENT/ROOM2	ROOM2 ON/OFF

SAT

OSD/(SYSTEM) OFF	OFF
POWER	ON/OFF
VOL +	VOL UP
VOL -	VOL DOWN
CHANNEL LEVEL+	CH UP
CHANNEL LEVEL-	CH DOWN
MUTE	MUTE
CH SEL	PREV CH
CURSOR UP	UP
CURSOR DOWN	DOWN
CURSOR LEFT	LEFT
CURSOR RIGHT	RIGHT
ENTER/SELECT	SELECT
PLAY	
STOP/STEREO	
REVERSE SEARCH	
FORWARD SEARCH	
REVERSE SKIP/AUTO	GUIDE
FORWARD SKIP/DSP	MENU
REC/RETURN	EXIT
PAUSE/7.1SURR.	INFO
1	1
2	2
3	3
4	4
5	5
6	6
7	7
8	8
9	9
0	0
DISPLAY	DISPLAY
ENT/ROOM2	ENTER



LCD 문자목록



TV


OSD/(SYSTEM) OFF	OFF
POWER	ON/OFF
VOL +	VOL UP
VOL -	VOL DOWN
CHANNEL LEVEL+	CH UP
CHANNEL LEVEL-	CH DOWN
MUTE	MUTE
CH SEL	PREV CH
CURSOR UP	UP
CURSOR DOWN	DOWN
CURSOR LEFT	LEFT
CURSOR RIGHT	RIGHT
ENTER/SELECT	SELECT
PLAY	
STOP/STEREO	
REVERSE SEARCH	
FORWARD SEARCH	
REVERSE SKIP/AUTO	GUIDE
FORWARD SKIP/DSP	MENU
REC/RETURN	CANCEL
PAUSE/7.1SURR.	INFO
1	1
2	2
3	3
4	4
5	5
6	6
7	7
8	8
9	9
0	0
DISPLAY	DISPLAY
ENT/ROOM2	ENTER

VCR

OSD/(SYSTEM) OFF	OFF
POWER	ON/OFF
VOL +	VOL UP
VOL -	VOL DOWN
CHANNEL LEVEL+	CH UP
CHANNEL LEVEL-	CH DOWN
MUTE	MUTE
CH SEL	PREV CH
CURSOR UP	UP
CURSOR DOWN	DOWN
CURSOR LEFT	LEFT
CURSOR RIGHT	RIGHT
ENTER/SELECT	SELECT
PLAY	PLAY
STOP/STEREO	STOP
REVERSE SEARCH	REW
FORWARD SEARCH	FF
REVERSE SKIP/AUTO	<<
FORWARD SKIP/DSP	>>
REC/RETURN	RECORD
PAUSE/7.1SURR.	PAUSE
1	1
2	2
3	3
4	4
5	5
6	6
7	7
8	8
9	9
0	0
DISPLAY	DISPLAY
ENT/ROOM2	ENTER



LCD 문자 목록



CABLE



OSD/(SYSTEM) OFF	OFF
POWER	ON/OFF
VOL +	VOL UP
VOL -	VOL DOWN
CHANNEL LEVEL+	CH UP
CHANNEL LEVEL-	CH DOWN
MUTE	MUTE
CH SEL	PREV CH
CURSOR UP	UP
CURSOR DOWN	DOWN
CURSOR LEFT	LEFT
CURSOR RIGHT	RIGHT
ENTER/SELECT	SELECT
PLAY	PLAY
STOP/STEREO	STOP
REVERSE SEARCH	REW
FORWARD SEARCH	FF
REVERSE SKIP/AUTO	GUIDE
FORWARD SKIP/DSP	MENU
REC/RETURN	EXIT
PAUSE/7.1SURR.	INFO
1	1
2	2
3	3
4	4
5	5
6	6
7	7
8	8
9	9
0	0
DISPLAY	DISPLAY
ENT/ROOM2	ENTER

DVD/LD

OSD/(SYSTEM) OFF	MENU
POWER	ON/OFF
VOL +	
VOL -	
CHANNEL LEVEL+	
CHANNEL LEVEL-	
MUTE	
CH SEL	
CURSOR UP	UP
CURSOR DOWN	DOWN
CURSOR LEFT	LEFT
CURSOR RIGHT	RIGHT
ENTER/SELECT	ENTER
PLAY	PLAY
STOP/STEREO	STOP
REVERSE SEARCH	REW
FORWARD SEARCH	FF
REVERSE SKIP/AUTO	l<<
FORWARD SKIP/DSP	>>l
REC/RETURN	RETURN
PAUSE/7.1SURR.	PAUSE
1	1
2	2
3	3
4	4
5	5
6	6
7	7
8	8
9	9
0	0
DISPLAY	DISC
ENT/ROOM2	



LCD 문자목록



CD


OSD/(SYSTEM) OFF	OSD
POWER	ON/OFF
VOL +	VOL UP
VOL -	VOL DOWN
CHANNEL LEVEL+	CH UP
CHANNEL LEVEL-	CH DOWN
MUTE	MUTE
CH SEL	CH SEL
CURSOR UP	UP
CURSOR DOWN	DOWN
CURSOR LEFT	LEFT
CURSOR RIGHT	RIGHT
ENTER/SELECT	ENTER
PLAY	PLAY
STOP/STEREO	STOP
REVERSE SEARCH	SKIP -
FORWARD SEARCH	SKIP +
REVERSE SKIP/AUTO	AUTO/MANUAL
FORWARD SKIP/DSP	DSP MODE
REC/RETURN	
PAUSE/7.1SURR.	PAUSE
1	1
2	2
3	3
4	4
5	5
6	6
7	7
8	8
9	9
0	0
DISPLAY	DISC
ENT/ROOM2	ROOM2 ON/OFF

TAPE

OSD/(SYSTEM) OFF	OSD
POWER	ON/OFF
VOL +	VOL UP
VOL -	VOL DOWN
CHANNEL LEVEL+	CH UP
CHANNEL LEVEL-	CH DOWN
MUTE	MUTE
CH SEL	CH SEL
CURSOR UP	UP
CURSOR DOWN	DOWN
CURSOR LEFT	LEFT
CURSOR RIGHT	RIGHT
ENTER/SELECT	ENTER
PLAY	PLAY FORWARD
STOP/STEREO	STOP
REVERSE SEARCH	REW
FORWARD SEARCH	FF
REVERSE SKIP/AUTO	AUTO/MANUAL
FORWARD SKIP/DSP	DSP MODE
REC/RETURN	RECORD
PAUSE/7.1SURR.	PAUSE
1	1
2	2
3	3
4	4
5	5
6	6
7	7
8	8
9	9
0	0
DISPLAY	SYSTEM DISPLAY
ENT/ROOM2	ROOM2 ON/OFF



LCD 문자목록



AUX

OSD/(SYSTEM) OFF	
POWER	
VOL +	
VOL -	
CHANNEL LEVEL+	
CHANNEL LEVEL-	
MUTE	
CH SEL	
CURSOR UP	
CURSOR DOWN	
CURSOR LEFT	
CURSOR RIGHT	
ENTER/SELECT	ENTER
PLAY	PLAY
STOP/STEREO	STOP
REVERSE SEARCH	REW
FORWARD SEARCH	FF
REVERSE SKIP/AUTO	I<<
FORWARD SKIP/DSP	>>I
REC/RETURN	RECORD
PAUSE/7.1SURR.	PAUSE
1	1
2	2
3	3
4	4
5	5
6	6
7	7
8	8
9	9
0	0
DISPLAY	TIME DISPLAY
ENT/ROOM2	+100

• LCD MD

.(“ LCD ”(24))